

AUTHOR INDEX

- Adams, N.G. *see* Knight, J.S.
Ade, P.A.R. *see* Gear, W.K.
Ade, P.A.R. *see* Richardson, K.J.
Agrawal, P.C., Rao, A.R., Sreekantan, B.V. Study of quiescent state X-ray emission from flare stars, **219**, 225
Agrawal, P.C., Rao, A.R., Riegler, G.R. Detection of an X-ray flare in the RS CVn binary Sigma Coronae Borealis, **219**, 777
Albinson, J.S., Tuffs, R.J., Swinbank, E., Gull, S.F. Neutral hydrogen towards 3C 10, the remnant of Tycho's supernova, **219**, 427
Allen, D.A. An infrared image of the Hourglass region of M 8, **219**, 35P
Avery, L.W. *see* Richardson, K.J.
- Baart, E.E., Cohen, R.J., Davies, R.D., Norris, R.P., Rowland, P.R. MERLIN observations of OH outflow in W75N, **219**, 145
Balachandran, S., Lambert, D.L., Tomkin, J., Parthasarathy, M. The chemical composition of algol systems - III. Beta Lyrae-nucleosynthesis revealed, **219**, 479
Balona, L.A., Engelbrecht, C.A. The nature of Be stars: periodic variables in the cluster NGC 3766, **219**, 131
Balona, L.A. *see* Engelbrecht, C.A.
Balona, L.A. Mode identification from line profile variations, **219**, 111
Barnes III, T.G. *see* Moffett, T.J.
Beard, S.M., Cooke, J.A., Emerson, D., MacGillivray, H.T., Kelly, B.D. Machine measurements of the objective-prism spectra of faint galaxies - II. Interactive redshift measurements, **219**, 251
Beard, S.M. *see* Cooke, J.A.
Berriman, G. *see* Wood, J.
Bhatt, H.C., Williams, I.P. The mass distribution of dark clouds in external galaxies, **219**, 217
Booler, R.V. *see* Unger, S.W.
Brown, L.M.J., Robson, E.I., Gear, W.K., Crosthwaite, R.P., McHardy, I.M., Hanson, C.G., Geldzahler, B.J., Webb, J.R. The spectral shape and variability of the blazar 3C 446, **219**, 671
- Campbell, C.G. The attainment of synchronism in the presence of accretion in the AM Herculis binaries, **219**, 589
Carnochan, D.J. The variation of interstellar extinction in the ultraviolet, **219**, 903
Caswell, J.L. *see* Roger, R.S.
Cawthorne, T.V., Scheuer, P.A.G., Morison, I., Muxlow, T.W.B. A sample of powerful radio sources for VLBI studies, **219**, 883
Chanmugam, G. *see* Frank, J.
Chester, T. *see* Rowan-Robinson, M.
Christensen, P.R. *see* Sommer-Larsen, J.
Clayton, C.A. The velocity structure of the core of the giant H II region NGC 3603, **219**, 895
Cohen, R.J. *see* Baart, E.E.
- Conway, R.G., Davis, R.J., Padin, S. Microwave measurements of the outer planets, **219**, 31P
Cooke, J.A., Beard, S.M., Emerson, D., Kelly, B.D., MacGillivray, H.T. Machine measurements of the objective-prism spectra of faint galaxies - I. Plate measurements and initial data reduction, **219**, 241
Cooke, J.A. *see* Beard, S.M.
Cordey, R.A. Radio sources in giant E and S0 galaxies, **219**, 575
Cornwell, T.J. *see* Saikia, D.J.
Cowling, S.A. *see* Subramanian, K.
Crosthwaite, R.P. *see* Brown, L.M.J.
Cunningham, C.T. *see* Richardson, K.J.
- Danziger, I.J. *see* Wall, J.V.
Davies, R.D. *see* Baart, E.E.
Davies, R.J. *see* Conway, R.G.
del Olmo, A. *see* Perea, J.
Dopita, M. *see* Gondhalekar, P.M.
Duley, W.W., Williams, D.A. PAH molecules and carbon dust in interstellar clouds, **219**, 859
Duncan, W.D. *see* Gear, W.K.
- Edmunds, M.G., George, G.H., Philipps, S. Curvature effects on tests for quasar alignment, **219**, 865
Einasto, J., Klypin, A.A., Saar, E. Structure of superclusters and supercluster formation - V. Spatial correlation and voids, **219**, 457
Ellis, R.S. *see* Gondhalekar, P.M.
Emerson, D., *see* Beard, S.M.
Emerson, D. *see* Cooke, J.A.
Engelbrecht, C.A. *see* Balona, L.A.
Engelbrecht, C.A., Balona, L.A. A β Cephei variable in an eclipsing binary in the cluster NGC 3293, **219**, 449
- Fabian, A.C. *see* Tennant, A.F.
Fairclough, J.H. New ultra-luminous galaxies, **219**, 1P
Fairclough, J. *see* Rowan-Robinson, M.
Fosbury, R.A.E. *see* Tadhunter, C.N.
Frank, J., Chanmugam, G. The evolution of polar caps in magnetic cataclysmic variables, **219**, 597
Freeman, C.G. *see* Knight, J.S.
- Gatley, I. *see* Jones, T.J.
Gear, W.K., Gee, G., Robson, E.I., Ade, P.A.R., Duncan, W.D. Submillimetre continuum observations of NGC 253, **219**, 19P
Gear, W.K., Gee, G., Robson, E.I., Ade, P.A.R., Duncan, W.D. Submillimetre observations of a disc around the embedded source GL 490, **219**, 835
Gear, W.K. *see* Brown, L.M.J.
Gee, G. *see* Richardson, K.J.
Geldzahler, B.J. *see* Brown, L.M.J.
George, G.H. *see* Edmunds, M.G.
George, I.M. *see* Warwick, R.S.
Gerhard, O.E. The dynamical influence of the nucleus on the bulge of M31, **219**, 373

Author index

- Glass, I.S. Variations of the Seyfert galaxy Fairall 9, **219**, 5P
- Gondhalekar, P.M., Morgan, D.H., Dopita, M., Ellis, R.S. The extremely low dust content of blue compact galaxies: results of *IRAS* observations, **219**, 505
- Gottesman, S.T., Hawarden, T.G. Optical and high-resolution H α observations of the massive and unusual lenticular galaxy NGC 5084, **219**, 759
- Graham, D.A. *see* Saikia, D.J.
- Green, D.A. G70.68+1.20: a thermal source, not a supernova remnant, **219**, 39P
- Griffin, M.J. *see* Richardson, K.J.
- Griffin, R.F. Photoelectric radial velocities, Paper XIII. 406 ninth-magnitude K0 stars in the Clube Selected Areas, **219**, 95
- Gull, S.F. *see* Albinson, J.S.
- Hachisu, I. *see* Sawada, K.
- Hanson, C.G. *see* Brown, L.M.J.
- Harrison, B.A. *see* Unger, S.W.
- Harvey, P.M. *see* Jones, T.J.
- Hasan, S.S. Oscillatory motions in intense flux tubes, **219**, 357
- Hatta, N. *see* Yabushita, S.
- Hawarden, T.G. *see* Gottesman, S.T.
- Hawkins, M.R.S. On the nature of objects detected as faint long-term variables, **219**, 417
- Hénou, M. *see* Tremaine, S.
- Hiltner, W.A. *see* Williams, G.A.
- Horne, K., Wade, R.A., Szkody, P. A dynamical model for the dwarf nova AH Herculis, **219**, 791
- Horne, K. *see* Wood, J.
- Hyland, A.R. *see* Jones, T.J.
- Ishibashi, S. *see* Noguchi, M.
- Johnstone, R.M., Penston, M.V. A search for magnetic fields in the T Tauri stars GW Ori, CoD-347151, and RU Lup, **219**, 927
- Jonas, J.L. Low-latitude radio continuum structure in the fourth galactic quadrant, **219**, 1
- Jones, A.P., Williams, D.A. Electric charge on ionic grains, **219**, 441
- Jones, T.J., Hyland, A.R., Straw, S., Harvey, P.M., Wilking, B.A., Joy, M., Gatley, I., Thomas, J.A. Star formation in the Magellanic Clouds - III. IR observations of giant H II regions, **219**, 603
- Joy, M. *see* Jones, T.J.
- Kaiser, N. A sparse-sampling strategy for the estimation of large-scale clustering from redshift surveys, **219**, 785
- Kelly, B.D. *see* Beard, S.M.
- Kelly, B.D. *see* Cooke, J.A.
- King, A.R. *see* Williams, G.A.
- Klypin, A.A. *see* Einasto, J.
- Knight, J.S., Freeman, C.G., McEwan, M.J., Smith, S.C., Adams, N.G., Smith, D. Production and loss of HC $_3$ N in interstellar clouds: some relevant laboratory measurements, **219**, 89
- Kulkarni, V.K. *see* Saikia, D.J.
- Lambert, D.L. *see* Balachandran, S.
- Lawrence, A., Walker, D., Rowan-Robinson, M., Leech, K.J., Penston, M.V. Studies of *IRAS* sources at high galactic latitudes - II. Results from a redshift survey at $|b| > 60^\circ$: distribution in depth, luminosity function and physical nature of *IRAS* galaxies, **219**, 687
- Leech, K.J. *see* Lawrence, A.
- Levshakov, S.A. *see* Urpin, V.A.
- Little, A.G. The late *see* Roger, R.S.
- Lloyd Evans, T. The RCB star RY Sagittarii as a pulsating star, **219**, 191
- Lynden-Bell, D. *see* Tremaine, S.
- McEwan, M.J. *see* Knight, J.S.
- MacGillivray, H.T. *see* Beard, S.M.
- MacGillivray, H.T. *see* Cooke, J.A.
- McHardy, I.M. *see* Brown, L.M.J.
- McHardy, I. *see* Warwick, R.S.
- Matsuda, T. *see* Sawada, K.
- Mikolajewski, M., Tomov, T. CH Cygni - one year after the drop in brightness, **219**, 13P
- Milne, D.K. *see* Roger, R.S.
- Moffett, T.J., Barnes III, T.G. Cepheids in the open cluster NGC 6067, **219**, 45P
- Moles, M. *see* Perea, J.
- Morgan, D.H. *see* Gondhalekar, P.M.
- Morison, I. *see* Cawthorne, T.V.
- Muxlow, T.W.B. *see* Cawthorne, T.V.
- Noguchi, M., Ishibashi, S. Simulations of close encounter between galaxies: behaviour of interstellar gas clouds and enhancement of star formation rate, **219**, 305
- Noguchi, M. *see* Suto, Y.
- Norris, R.P. *see* Baart, E.E.
- O'Donoghue, D. *see* Wood, J.
- Olsson-Steel, D. The origin of the sporadic meteoroid component, **219**, 47
- Padin, S. *see* Conway, R.G.
- Papayannopoulos, T. *see* Petrou, M.
- Parthasarathy, M. *see* Balachandran, S.
- Patnaik, A.R. *see* Saikia, D.J.
- Pedlar, A. *see* Unger, S.W.
- Penston, M.V. *see* Johnstone, R.M.
- Penston, M.V. *see* Lawrence, A.
- Perea, J., Moles, M., del Olmo, A. Taxonomical analysis of superclusters - II. The A1367/Coma supercluster, **219**, 511
- Pérez, E. *see* Tadhunter, C.N.
- Petrou, M., Papayannopoulos, T. Can galactic bars end well before corotation?, **219**, 157
- Pettini, M. *see* Wall, J.V.
- Phillipps, S. *see* Edmunds, M.G.
- Phillips, J.P. *see* Richardson, K.J.
- Porcas, R.W. *see* Saikia, D.J.
- Pounds, K.A. *see* Warwick, R.S.
- Prabhu, T.P. *see* Saikia, D.J.
- Rao, A.R. *see* Agrawal, P.C.
- Richardson, K.J., White, G.J., Phillips, J.P., Avery, L.W. The structure and kinematics of the DR21 region, **219**, 167

Author index

- Richardson, K.J., White, G.J., Gee, G., Griffin, M.J., Cunningham, C.T., Ade, P.A.R., Avery, L.W. Erratum: Submillimetre line and continuum observations of the S255 molecular cloud, **219**, 223
- Riegler, G.R. *see* Agrawal, P.C.
- Robertson, J.G., Shaver, P.A., Surdej, J., Swings, J.P. Spectroscopy of the QSOs Q0118-031 A, B, C, **219**, 403
- Robson, E.I. *see* Brown, L.M.J.
- Robson, E.I. *see* Gear, W.K.
- Roger, R.S., Milne, D.K., Caswell, J.L., Little, The late A.G. G291.0-0.1, a centrally bright supernova remnant, in Carina, **219**, 815
- Rowan-Robinson, M., Walker, D., Chester, T., Soifer, T., Fairclough, J. Studies of *IRAS* sources at high galactic latitudes - I. Source counts at $|b| \geq 60^\circ$ and evidence for a north-south anisotropy of cosmological significance, **219**, 273
- Rowan-Robinson, M. On the nature of interstellar grains and the interpretation of the *IRAS* background radiation, **219**, 737
- Rowan-Robinson, M. *see* Lawrence, A.
- Rowland, P.R. *see* Baart, E.E.
- Saar, E. *see* Einasto, J.
- Saikia, D.J., Kulkarni, V.K., Porcas, R.W. Radio observations of extended sources suspected of having steep-spectrum cores, **219**, 719
- Saikia, D.J., Subrahmanya, C.R., Patnaik, A.R., Unger, S.W., Cornwell, T.J., Graham, D.A., Prabhu, T.P. Radio observations of the S0 galaxy NGC 1218 (3C 78), **219**, 545
- Sawada, K., Matsuda, T., Hachisu, I. Spiral shocks on a Roche lobe overflow in a semi-detached binary system, **219**, 75
- Scheuer, P.A.G. *see* Cawthorne, T.V.
- Shafer, R.A. *see* Tennant, A.F.
- Shaver, P.A. *see* Robertson, J.G.
- Shobbrook, R.R. A distance modulus of the LMC from *uvby* β photometry of B supergiants, **219**, 495
- Sitko, A.K. *see* Wisniewski, W.Z.
- Sitko, M.L. *see* Wisniewski, W.Z.
- Smith, D. *see* Knight, J.S.
- Smith, F.G. The geometry of emission from the Vela and the Crab pulsars, **219**, 729
- Smith, S.C. *see* Knight, J.S.
- Soifer, T. *see* Rowan-Robinson, M.
- Sommer-Larsen, J., Christensen, P.R. Radial velocities of blue horizontal branch field stars in the outer Galactic halo, **219**, 537
- Sparke, L.S. Are polar rings self-gravitating?, **219**, 657
- Sreekantan, B.V. *see* Agrawal, P.C.
- Steigmann, G.A. Optical polarimetry of sulphur and the surface microstructure of Io, **219**, 823
- Stift, M.J. Theoretical Stokes profiles for magnetic stars - II. An appraisal of statistical methods for magnetic field determination, **219**, 203
- Straw, S. *see* Jones, T.J.
- Subrahmanya, C.R. *see* Saikia, D.J.
- Subramanian, K., Cowling, S.A. On local conditions for multiple imaging by bounded, smooth gravitational lenses, **219**, 333
- Surdej, J. *see* Robertson, J.G.
- Suto, Y., Noguchi, M. Survival of the structures in the universe dominated by unstable dark matter, **219**, 841
- Swinbank, E. *see* Albinson, J.S.
- Swings, J.P. *see* Robertson, J.G.
- Szkody, P. *see* Horne, K.
- Tadhunter, C.N., Pérez, E., Fosbury, R.A.E. An ultraviolet and optical study of the broad-line radio galaxy 3C 382, **219**, 555
- Tennant, A.F., Fabian, A.C., Shafer, R.A. The discovery of X-ray bursts from Cir X-1, **219**, 871
- Thomas, J.A. *see* Jones, T.J.
- Tomkin, J. *see* Balachandran, S.
- Tomov, T. *see* Mikolajewski, M.
- Tremaine, S., Hénon, M., Lynden-Bell, D. H-functions and mixing in violent relaxation, **219**, 285
- Tuffs, R.J. *see* Albinson, J.S.
- Tuffs, R.J. Secular changes within Cassiopeia A at 5 GHz - I, **219**, 13
- Unger, S.W., Pedlar, A., Booler, R.V., Harrison, B.A. Compact radio components in Seyfert galaxies, **219**, 387
- Unger, S.W. *see* Saikia, D.J.
- Uomoto, A.K. *see* Williams, G.A.
- Urpín, V.A., Levshakov, S.A., Yakovlev, D.G. Generation of neutron star magnetic fields by thermomagnetic effects, **219**, 703
- Wade, R.A. *see* Horne, K.
- Wade, R. *see* Wood, J.
- Walker, D. *see* Lawrence, A.
- Walker, M. *see* Rowan-Robinson, M.
- Wall, J.V., Danziger, I.J., Pettini, M., Warwick, R.S., Wamsteker, W. PKS 2005-489: a very bright BL Lac object in a nearby galaxy, **219**, 23P
- Wamsteker, W. *see* Wall, J.V.
- Warner, B. *see* Wood, J.
- Warner, B. Light curves of RR Pic(Nova Pictoris 1925) 1972-84, **219**, 751
- Warner, B. Multiple optical orbital sidebands in intermediate polars, **219**, 347
- Warwick, R.S., George, I.M., McHardy, I., Pounds, K.A. The X-ray spectrum and variability of Markarian 421, **219**, 39
- Warwick, R.S. *see* Wall, J.V.
- Webb, J.R. *see* Brown, L.M.J.
- Whitelock, P.A. The pulsation mode and period-luminosity relationship of cool variables in globular clusters, **219**, 525
- White, G.J. *see* Richardson, K.J.
- Wilking, B.A. *see* Jones, T.J.
- Williams, D.A. *see* Duley, W.W.
- Williams, D.A. *see* Jones, A.P.
- Williams, G.A., King, A.R., Uomoto, A.K., Hiltner, W.A. Photometry and spectroscopy of V Sagittae through eclipse, **219**, 809

Author index

Williams, I.P. *see* Bhatt, H.C.

Wisniewski, W.Z., Sitko, M.L., Sitko,
A.K. 1011+496 and 1217+348: two new candidate
BL Lacertae objects, **219**, 299

Wood, J., Horne, K., Berriman, G., Wade, R.,
O'Donoghue, D., Warner, B. High-speed photometry

of the dwarf nova Z Cha in quiescence, **219**, 629

Yabushita, S., Hatta, N. Thermal conduction in
cometary nuclei and its effect on cometary
activity, **219**, 197

Yakovlev, D.G. *see* Urpin, V.A.

SUBJECT INDEX

Accretion and accretion discs

- Spiral shocks on a Roche lobe overflow in a semi-detached binary system (Sawada, K., Matsuda, T., Hachisu, I.), **219, 75**
 Multiple optical orbital sidebands in intermediate polars (Warner, B.), **219, 347**
 The attainment of synchronism in the presence of accretion in the AM Herculis binaries (Campbell, C.G.), **219, 589**
 The evolution of polar caps in magnetic cataclysmic variables (Frank, J., Chanmugam, G.), **219, 597**
 High-speed photometry of the dwarf nova Z Cha in quiescence (Wood, J., Horne, K., Berriman, G., Wade, R., O'Donoghue, D., Warner, B.), **219, 629**

BL Lac objects

- The X-ray spectrum and variability of Markarian 421 (Warwick, R.S., George, I.M., McHardy, I., Pounds, K.A.), **219, 39**
 1011+496 and 1217+348: two new candidate BL Lacertae objects (Wisniewski, W.Z., Sitko, M.L., Sitko, A.K.), **219, 299**
 PKS 2005-489: a very bright BL Lac object in a nearby galaxy (Wall, J.V., Danziger, I.J., Pettini, M., Warwick, R.S., Wamstecker, W.), **219, 23P**

Celestial mechanics

- The origin of the sporadic meteoroid component (Olsson-Steel, D.), **219, 47**
 H-functions and mixing in violent relaxation (Tremaine, S., Henon, M., Lynden-Bell, D.), **219, 285**
 Are polar rings self-gravitating? (Sparke, L.S.), **219, 657**

Comets

- The origin of the sporadic meteoroid component (Olsson-Steel, D.), **219, 47**
 Thermal conduction in cometary nuclei and its effect on cometary activity (Yabushita, S., Hata, N.), **219, 197**

Cosmology

- Studies of *IRAS* sources at high galactic latitudes - I. Source counts at $|b| > 60^\circ$ and evidence for north-south anisotropy of cosmological significance (Rowan-Robinson, M., Walker, D., Chester, T., Soifer, T., Fairclough, J.), **219, 273**
 Structure of superclusters and supercluster formation - V. Spatial correlation and voids (Einasto, J., Klypin, A.A., Saar, E.), **219, 457**

- On the nature of interstellar grains and the interpretation of the *IRAS* background radiation (Rowan-Robinson, M.), **219, 737**
 Survival of the structures in the universe dominated by unstable dark matter (Suto, Y., Noguchi, M.), **219, 841**
 Curvature effects on tests for quasar alignment (Edmunds, M.G., George, G.H., Philipps, S.), **219, 865**

Data reduction

- Machine measurements of the objective-prism spectra of faint galaxies - I. Plate measurements and initial data reduction (Cooke, J.A., Beard, S.M., Emerson, D., Kelly, B.D., MacGillivray, H.T.), **219, 241**
 A sparse-sampling strategy for the estimation of large-scale clustering from redshift surveys (Kaiser, N.), **219, 785**

Galactic structure and stellar dynamics

- Low-latitude radio continuum structure in the fourth galactic quadrant (Jonas, J.L.), **219, 1**
 Can galactic bars end well before corotation? (Petrou, M., Papayannopoulos, T.), **219, 157**
 The mass distribution of dark clouds in external galaxies (Bhatt, H.C., Williams, I.P.), **219, 217**
 H-functions and mixing in violent relaxation (Tremaine, S., Henon, M., Lynden-Bell, D.), **219, 285**
 Simulations of close encounter between galaxies: behaviour of interstellar gas clouds and enhancement of star formation rate (Noguchi, M., Ishibashi, S.), **219, 305**
 The dynamical influence of the nucleus on the bulge of M31 (Gerhard, O.E.), **219, 373**
 Radial velocities of blue horizontal branch field stars in the outer Galactic halo (Sommer-Larsen, J., Christensen, P.R.), **219, 537**
 Are polar rings self-gravitating? (Sparke, L.S.), **219, 657**
 Optical and high-resolution H α observations of the massive and unusual lenticular galaxy NGC 5084 (Gottesman, S.T., Hawarden, T.G.), **219, 759**

Galaxies

- The mass distribution of dark clouds in external galaxies (Bhatt, H.C., Williams, I.P.), **219, 217**
 Machine measurements of the objective-prism spectra of faint galaxies - I. Plate measurements and initial data reduction (Cooke, J.A., Beard, S.M., Emerson, D., Kelly, B.D., MacGillivray, H.T.), **219, 241**

Subject index

- Machine measurements of the objective-prism spectra of faint galaxies – II. Interactive redshift measurements (Beard, S.M., Cooke, J.A., Emerson, D., MacGillivray, H.T., Kelly, B.D.), **219**, 251
- Studies of *IRAS* sources at high galactic latitudes – I. Source counts at $|b| > 60^\circ$ and evidence for a north-south anisotropy of cosmological significance (Rowan-Robinson, M., Walker, D., Chester, T., Soifer, T., Fairclough, J.), **219**, 273
- Simulations of close encounter between galaxies: behaviour of interstellar gas clouds and enhancement of star formation rate (Noguchi, M., Ishibashi, S.), **219**, 305
- The dynamical influence of the nucleus on the bulge of M31 (Gerhard, O.E.), **219**, 373
- Structure of superclusters and supercluster formation – V. Spatial correlation and voids (Einasto, J., Klypin, A.A., Saar, E.), **219**, 457
- Taxonomical analysis of superclusters – II. The A1367/Coma supercluster (Perea, J., Moles, M., del Olmo, A.), **219**, 511
- Radio observations of the S0 galaxy NGC 1218 (3C 78) (Saikia, D.J., Subrahmanya, C.R., Patnaik, A.R., Unger, S.W., Cornwell, T.J., Graham, D.A., Prabhu, T.P.), **219**, 545
- Are polar rings self-gravitating? (Sparke, L.S.), **219**, 657
- Studies of *IRAS* sources at high galactic latitudes – II. Results from a redshift survey at $|b| > 60^\circ$: distribution in depth, luminosity function, and physical nature of *IRAS* galaxies (Lawrence, A., Walker, D., Rowan-Robinson, M., Leech, K.J., Penston, M.V.), **219**, 687
- Optical and high-resolution HI observations of the massive and unusual lenticular galaxy NGC 5084 (Gottesman, S.T., Hawarden, T.G.), **219**, 759
- A sparse-sampling strategy for the estimation of large-scale clustering from redshift surveys (Kaiser, N.), **219**, 785
- Survival of the structures in the universe dominated by unstable dark matter (Suto, Y., Noguchi, M.), **219**, 841
- Submillimetre continuum observations of NGC 253 (Gear, W.K., Gee, G., Robson, E.I., Ade, P.A.R., Duncan, W.D.), **219**, 19P
- Galaxies – active**
- The X-ray spectrum and variability of Markarian 421 (Warwick, R.S., George, I.M., McHardy, I., Pounds, K.A.), **219**, 39
- 1011+496 and 1217+348: two new candidate BL Lacertae objects (Wisniewski, W.Z., Sitko, M.L., Sitko, A.K.), **219**, 299
- The extremely low dust content of blue compact galaxies: results of *IRAS* observations (Gondhalekar, P.M., Morgan, D.H., Dopita, M., Ellis, R.S.), **219**, 505
- An ultraviolet and optical study of the broad-line radio galaxy 3C 382 (Tadhunter, C.N., Pérez, E., Fosbury, R.A.E.), **219**, 555
- Radio sources in giant E and S0 galaxies (Cordey, R.A.), **219**, 575
- The spectral shape and variability of the blazar 3C 446 (Brown, L.M.J., Robson, E.I., Gear, W.K., Crosthwaite, R.P., McHardy, I.M., Hanson, C.G., Geldzahler, B.J., Webb, J.R.), **219**, 671
- Radio observations of extended sources suspected of having steep-spectrum cores (Saikia, D.J., Kulkarni, V.K., Porcas, R.W.), **219**, 719
- A sample of powerful radio sources for VLBI studies (Cawthorne, T.V., Scheuer, P.A.G., Morison, I., Muxlow, T.W.B.), **219**, 883
- New ultra-luminous galaxies (Fairclough, J.H.), **219**, 1P
- PKS 2005–489: a very bright BL Lac object in a nearby galaxy (Wall, J.V., Danziger, I.J., Pettini, M., Warwick, R.S., Wamsteker, W.), **219**, 23P
- Galaxies – Seyfert**
- Compact radio components in Seyfert galaxies (Unger, S.W., Pedlar, A., Booler, R.V., Harrison, B.A.), **219**, 387
- Variations of the Seyfert galaxy Fairall 9 (Glass, I.S.), **219**, 5P
- Galaxy clusters**
- Machine measurements of the objective-prism spectra of faint galaxies – II. Interactive redshift measurements (Beard, S.M., Cooke, J.A., Emerson, D., MacGillivray, H.T., Kelly, B.D.), **219**, 251
- Studies of *IRAS* sources at high galactic latitudes – I. Source counts at $|b| > 60^\circ$ and evidence for a north-south anisotropy of cosmological significance (Rowan-Robinson, M., Walker, D., Chester, T., Soifer, T., Fairclough, J.), **219**, 273
- Structure of superclusters and supercluster formation – V. Spatial correlation and voids (Einasto, J., Klypin, A.A., Saar, E.), **219**, 457
- Taxonomical analysis of superclusters – II. The A1367/Coma supercluster (Perea, J., Moles, M., del Olmo, A.), **219**, 511
- A sparse-sampling strategy for the estimation of large-scale clustering from redshift surveys (Kaiser, N.), **219**, 785
- Survival of the structures in the universe dominated by unstable dark matter (Suto, Y., Noguchi, M.), **219**, 841
- Gravitation and gravitational radiation**
- On local conditions for multiple imaging by bounded, smooth gravitational lenses (Subramanian, K., Cowling, S.A.), **219**, 333
- Infrared astronomy**
- Studies of *IRAS* sources at high galactic latitudes – I. Source counts at $|b| > 60^\circ$ and evidence for a north-south anisotropy of cosmological significance (Rowan-Robinson, M., Walker, D., Chester, T., Soifer, T., Fairclough, J.), **219**, 273

1011+496 and 1217+348: two new candidate BL Lacertae objects (Wisniewski, W.Z., Sitko, M.L., Sitko, A.K.), **219**, 299

The extremely low dust content of blue compact galaxies: results of *IRAS* observations (Gondhalekar, P.M., Morgan, D.H., Dopita, M., Ellis, R.S.), **219**, 505

Star formation in the Magellanic Clouds - III. IR observations of giant H II regions (Jones, T.J., Hyland, A.R., Straw, S., Harvey, P.M., Wilking, B.A., Joy, M., Gatley, I., Thomas, J.A.), **219**, 603

The spectral shape and variability of the blazar 3C 446 (Brown, L.M.J., Robson, E.I., Gear, W.K., Crosthwaite, R.P., McHardy, I.M., Hanson, C.G., Geldzahler, B.J., Webb, J.R.), **219**, 671

Studies of *IRAS* sources at high galactic latitudes - II. Results from a redshift survey at $|b| > 60^\circ$: distribution in depth, luminosity function, and physical nature of *IRAS* galaxies (Lawrence, A., Walker, D., Rowan-Robinson, M., Leech, K.J., Penston, M.V.), **219**, 687

On the nature of interstellar grains and the interpretation of the *IRAS* background radiation (Rowan-Robinson, M.), **219**, 737

Submillimetre observations of a disc around the embedded source GL 490 (Gear, W.K., Gee, G., Robson, E.I., Ade, P.A.R., Duncan, W.D.), **219**, 835

New ultra-luminous galaxies (Fairclough, J.H.), **219**, 1P

Variations of the Seyfert galaxy Fairall 9 (Glass, I.S.), **219**, 5P

Submillimetre continuum observations of NGC 253 (Gear, W.K., Gee, G., Robson, E.I., Ade, P.A.R., Duncan, W.D.), **219**, 19P

An infrared image of the Hourglass region of M 8 (Allen, D.A.), **219**, 35P

Intergalactic medium

Spectroscopy of the QSOs Q0118-031 A,B,C (Robertson, J.G., Shaver, P.A., Surdej, J., Swings, J.P.), **219**, 403

Interstellar grains

Electric charge on ionic grains (Jones, A.P., Williams, D.A.), **219**, 441

The extremely low dust content of blue compact galaxies: results of *IRAS* observations (Gondhalekar, P.M., Morgan, D.H., Dopita, M., Ellis, R.S.), **219**, 505

On the nature of interstellar grains and the interpretation of the *IRAS* background radiation (Rowan-Robinson, M.), **219**, 737

PAH molecules and carbon dust in interstellar clouds (Duley, W.W., Williams, D.A.), **219**, 859

The variation of interstellar extinction in the ultraviolet (Carnochan, D.J.), **219**, 903

Submillimetre continuum observations of NGC 253 (Gear, W.K., Gee, G., Robson, E.I., Ade, P.A.R., Duncan, W.D.), **219**, 19P

Interstellar medium

The mass distribution of dark clouds in external galaxies (Bhatt, H.C., Williams, I.P.), **219**, 217

Simulations of close encounter between galaxies: behaviour of interstellar gas clouds and enhancement of star formation rate (Noguchi, M., Ishibashi, S.), **219**, 305

Neutral hydrogen towards 3C 10, the remnant of Tycho's supernova (Albinson, J.S., Tuffs, R.J., Swinbank, E., Gull, S.F.), **219**, 427

PAH molecules and carbon dust in interstellar clouds (Duley, W.W., Williams, D.A.), **219**, 859

Instruments and techniques

Machine measurements of the objective-prism spectra of faint galaxies - I. Plate measurements and initial data reduction (Cooke, J.A., Beard, S.M., Emerson, D., Kelly, B.D., MacGillivray, H.T.), **219**, 241

Jupiter

Optical polarimetry of sulphur and the surface microstructure of Io (Steigmann, G.A.), **219**, 823

Laboratory astrophysics

Production and loss of HC₃N in interstellar clouds: some relevant laboratory measurements (Knight, J.S., Freeman, C.G., McEwan, M.J., Smith, S.C., Adams, N.G., Smith, D.), **219**, 89

Masers

MERLIN observations of OH outflow in W75N (Baart, E.E., Cohen, R.J., Davies, R.D., Norris, R.P., Rowland, P.R.), **219**, 145

Magellanic Clouds

A distance modulus of the LMC from *uvby* β photometry of B supergiants (Shobbrook, R.R.), **219**, 495

Star formation in the Magellanic Clouds - III. IR observations of giant H II regions (Jones, T.J., Hyland, A.R., Straw, S., Harvey, P.M., Wilking, B.A., Joy, M., Gatley, I., Thomas, J.A.), **219**, 605

Meteors

The origin of the sporadic meteoroid component (Olsson-Steel, D.), **219**, 47

Subject index

Molecules and molecular clouds

- Production and loss of HC₃ N in interstellar clouds: some relevant laboratory measurements (Knight, J.S., Freeman, C.G., McEwan, M.J., Smith, S.C., Adams, N.G., Smith, D.), **219**, 89
- The structure and kinematics of the DR21 region (Richardson, K.J., White, G.J., Phillips, J.P., Avery, L.W.), **219**, 167
- Erratum: Submillimetre line and continuum observations of the S255 molecular cloud (Richardson, K.J., White, G.J., Gee, G., Griffin, M.J., Cunningham, C.T., Ade, P.A.R., Avery, L.W.), **219**, 223
- Electric charge on ionic grains (Jones, A.P., Williams, D.A.), **219**, 441
- Submillimetre observations of a disc around the embedded source GL 490 (Gear, W.K., Gee, G., Robson, E.I., Ade, P.A.R., Duncan, W.D.), **219**, 835
- PAH molecules and carbon dust in interstellar clouds (Duley, W.W., Williams, D.A.), **219**, 859

Nebulae – gaseous

- MERLIN observations of OH outflow in W75N (Baart, E.E., Cohen, R.J., Davies, R.D., Norris, R.P., Rowland, P.R.), **219**, 145
- Star formation in the Magellanic Clouds – III. IR observations of giant H II regions (Jones, T.J., Hyland, A.R., Straw, S., Harvey, P.M., Wilking, B.A., Joy, M., Gatley, I., Thomas, J.A.), **219**, 605
- The velocity structure of the core of the giant H II region NGC 3603 (Clayton, C.A.), **219**, 895
- An infrared image of the Hourglass region of M 8 (Allen, D.A.), **219**, 35P
- G70.68+1.20: a thermal source, not a supernova remnant (Green, D.A.), **219**, 39P

Neutron stars

- Generation of neutron star magnetic fields by thermomagnetic effects (Urpin, V.A., Levshakov, S.A., Yakovlev, D.G.), **219**, 703
- The discovery of X-ray bursts from Cir X-1 (Tennant, A.F., Fabian, A.C., Shafer, R.A.), **219**, 871

Novae

- Light curves of RR Pic (Nova Pictoris 1925) 1972–84 (Warner, B.), **219**, 751
- A dynamical model for the dwarf nova AH Herculis (Horne, K., Wade, R.A., Szkody, P.), **219**, 791

Physical processes

- Thermal conduction in cometary nuclei and its effect on cometary activity (Yabushita, S., Hatta, N.), **219**, 197

H-functions and mixing in violent relaxation (Tremaine, S., Hénon, M., Lynden-Bell, D.), **219**, 285

On local conditions for multiple imaging by bounded, smooth gravitational lenses (Subramanian, K., Cowling, S.A.), **219**, 333

Oscillatory motions in intense flux tubes (Hasan, S.S.), **219**, 357

Electric charge on ionic grains (Jones, A.P., Williams, D.A.), **219**, 441

The attainment of synchronism in the presence of accretion in the AM Herculis binaries (Campbell, C.G.), **219**, 589

Generation of neutron star magnetic fields by thermomagnetic effects (Urpin, V.A., Levshakov, S.A., Yakovlev, D.G.), **219**, 703

The geometry of emission from the Vela and the Crab pulsars (Smith, F.G.), **219**, 729

Survival of the structures in the universe dominated by unstable dark matter (Suto, Y., Noguchi, M.), **219**, 841

Planets

- Optical polarimetry of sulphur and the surface microstructure of Io (Steigmann, G.A.), **219**, 823
- Microwave measurements of the outer planets (Conway, R.G., Davis, R.J., Padin, S.), **219**, 31P

Polarization of starlight

- A search for magnetic fields in the T Tauri stars GW Ori, CoD-347151, and RU Lup (Johnstone, R.M., Penston, M.V.), **219**, 927

Pulsars

- The geometry of emission from the Vela and the Crab pulsars (Smith, F.G.), **219**, 729

Quasars

- Spectroscopy of the QSOs Q0118–031 A,B,C (Robertson, J.G., Shaver, P.A., Surdej, J., Swings, J.P.), **219**, 403
- On the nature of objects detected as faint long-term variables (Hawkins, M.R.S.), **219**, 417
- Curvature effects on tests for quasar alignment (Edmunds, M.G., George, G.H., Philipps, S.), **219**, 865
- A sample of powerful radio sources for VLBI studies (Cawthorne, T.V., Scheuer, P.A.G., Morison, I., Muxlow, T.W.B.), **219**, 883

Radio astronomy

- Low-latitude radio continuum structure in the fourth galactic quadrant (Jonas, J.L.), **219**, 1
- Secular changes within Cassiopeia A at 5 GHz – I (Tuffs, R.J.), **219**, 13

- MERLIN observations of OH outflow in W75N (Baart, E.E., Cohen, R.J., Davies, R.D., Norris, R.P., Rowland, P.R.), **219**, 145
- The structure and kinematics of the DR21 region (Richardson, K.J., White, G.J., Phillips, J.P., Avery, L.W.), **219**, 167
- Erratum: Submillimetre line and continuum observations of the S255 molecular cloud (Richardson, K.J., White, G.J., Gee, G., Griffin, M.J., Cunningham, C.T., Ade, P.A.R., Avery, L.W.), **219**, 223
- 1011+496 and 1217+348: two new candidate BL Lacertae objects (Wisniewski, W.Z., Sitko, M.L., Sitko, A.K.), **219**, 299
- Compact radio components in Seyfert galaxies (Unger, S.W., Pedlar, A., Booler, R.V., Harrison, B.A.), **219**, 387
- Neutral hydrogen towards 3C 10, the remnant of Tycho's supernova (Albinson, J.S., Tuffs, R.J., Swinbank, E., Gull, S.F.), **219**, 427
- Radio observations of the S0 galaxy NGC 1218 (3C 78) (Saikia, D.J., Subrahmanya, C.R., Patnaik, A.R., Unger, S.W., Cornwell, T.J., Graham, D.A., Prabhu, T.P.), **219**, 545
- An ultraviolet and optical study of the broad-line radio galaxy 3C 382 (Tadhunter, C.N., Perez, E., Fosbury, R.A.E.), **219**, 555
- Radio sources in giant E and S0 galaxies (Cordey, R.A.), **219**, 575
- The spectral shape and variability of the blazar 3C 446 (Brown, L.M.J., Robson, E.I., Gear, W.K., Crosthwaite, R.P., McHardy, I.M., Hanson, C.G., Geldzahler, B.J., Webb, J.R.), **219**, 671
- Radio observations of extended sources suspected of having steep-spectrum cores (Saikia, D.J., Kulkarni, V.K., Porcas, R.W.), **219**, 719
- Optical and high-resolution H α observations of the massive and unusual lenticular galaxy NGC 5084 (Gottesman, S.T., Hawarden, T.G.), **219**, 759
- G291.0-0.1, a centrally bright supernova remnant, in Carina (Roger, R.S., Milne, D.K., Caswell, J.L., Little, The Late A.G.), **219**, 815
- Submillimetre observations of a disc around the embedded source GL 490 (Gear, W.K., Gee, G., Robson, E.I., Ade, P.A.R., Duncan, W.D.), **219**, 835
- A sample of powerful radio sources for VLBI studies (Cawthorne, T.V., Scheuer, P.A.G., Morison, I., Muxlow, T.W.B.), **219**, 883
- Submillimetre continuum observations of NGC 253 (Gear, W.K., Gee, G., Robson, E.I., Ade, P.A.R., Duncan, W.D.), **219**, 19P
- PKS 2005-489: a very bright BL Lac object in a nearby galaxy (Wall, J.V., Danziger, I.J., Pettini, M., Warwick, R.S., Wamsteker, W.), **219**, 23P
- Microwave measurements of the outer planets (Conway, R.G., Davis, R.J., Padin, S.), **219**, 31P
- G70.68+1.20: a thermal source, not a supernova remnant (Green, D.A.), **219**, 39P

Radiative transfer

- On local conditions for multiple imaging by bounded, smooth gravitational lenses (Subramanian, K., Cowling, S.A.), **219**, 333

Spectroscopy

- Machine measurements of the objective-prism spectra of faint galaxies - I. Plate measurements and initial data reduction (Cooke, J.A., Beard, S.M., Emerson, D., Kelly, B.D., MacGillivray, H.T.), **219**, 241

Stars - atmospheres of

- Mode identification from line profile variations (Balona, L.A.), **219**, 111
- Oscillatory motions in intense flux tubes (Hasan, S.S.), **219**, 357

Stars - binary

- Spiral shocks on a Roche lobe overflow in a semi-detached binary system (Sawada, K., Matsuda, T., Hachisu, I.), **219**, 75
- Photoelectric radial velocities, Paper XIII. 406 ninth-magnitude K0 stars in the Clube Selected Areas (Griffin, R.F.), **219**, 95
- Multiple optical orbital sidebands in intermediate polars (Warner, B.), **219**, 347
- A β Cephei variable in an eclipsing binary in the cluster NGC 3293 (Engelbrecht, C.A., Balona, L.A.), **219**, 449
- The chemical composition of algol systems - III. Beta Lyrae-nucleosynthesis revealed (Balachandran, S., Lambert, D.L., Tomkin, J.), **219**, 479
- The attainment of synchronism in the presence of accretion in the AM Herculis binaries (Campbell, C.G.), **219**, 589
- High-speed photometry of the dwarf nova Z Cha in quiescence (Wood, J., Horne, K., Berriman, G., Wade, R., O'Donoghue, D., Warner, B.), **219**, 629
- Light curves of RR Pic (Nova Pictoris 1925) 1972-84 (Warner, B.), **219**, 751
- Detection of an X-ray flare in the RS CVn binary Sigma Coronae Borealis (Agrawal, P.C., Rao, A.R., Riegler, G.R.), **219**, 777
- A dynamical model for the dwarf nova AH Herculis (Horne, K., Wade, R.A., Szkody, P.), **219**, 791
- Photometry and spectroscopy of V Sagittae through eclipse (Williams, G.A., King, A.R., Uomoto, A.K., Hiltner, W.A.), **219**, 809

Stars - chemical composition of

- The chemical composition of algol systems - III. Beta Lyrae-nucleosynthesis revealed (Balachandran, S., Lambert, D.L., Tomkin, J.), **219**, 479

Stars - clusters of

- The nature of Be stars: periodic variables in the cluster NGC 3766 (Balona, L.A., Engelbrecht, C.A.), **219**, 131
- A β Cephei variable in an eclipsing binary in the cluster NGC 3293 (Engelbrecht, C.A., Balona, L.A.), **219**, 449

Subject index

- The pulsation mode and period-luminosity relationship of cool variables in globular clusters (Whitelock, P.A.), **219**, 525
Cepheids in the open cluster NGC 6067 (Moffett, T.J., Barnes III, T.G.), **219**, 45P

Stars – formation of

- Simulations of close encounter between galaxies: behaviour of interstellar gas clouds and enhancement of star formation rate (Noguchi, M., Ishibashi, S.), **219**, 305
Star formation in the Magellanic Clouds – III. IR observations of giant H II regions (Jones, T.J., Hyland, A.R., Straw, S., Harvey, P.M., Wilking, B.A., Joy, M., Gatley, I., Thomas, J.A.), **219**, 603

Stars – magnetic fields in

- Theoretical Stokes profiles for magnetic stars – II. An appraisal of statistical methods for magnetic field determination (Stift, M.J.), **219**, 203
Oscillatory motions in intense flux tubes (Hasan, S.S.), **219**, 357
The attainment of synchronism in the presence of accretion in the AM Herculis binaries (Campbell, C.G.), **219**, 589
The evolution of polar caps in magnetic cataclysmic variables (Frank, J., Chamugam, G.), **219**, 597
Generation of neutron star magnetic fields by thermomagnetic effects (Urpín, V.A., Levshakov, S.A., Yakovlev, D.G.), **219**, 703
A search for magnetic fields in the T Tauri stars GW Ori, CoD-347151, and RU Lup (Johnstone, R.M., Penston, M.V.), **219**, 927

Stars – mass loss from

- Spiral shocks on a Roche lobe overflow in a semi-detached binary system (Sawada, K., Matsuda, T., Hachisu, I.), **219**, 75
Photometry and spectroscopy of V Sagittae through eclipse (Williams, G.A., King, A.R., Uomoto, A.K., Hiltner, W.A.), **219**, 809
Submillimetre observations of a disc around the embedded source GL 490 (Gear, W.K., Gee, G., Robson, E.I., Ade, P.A.R., Duncan, W.D.), **219**, 835
The velocity structure of the core of the giant H II region NGC 3603 (Clayton, C.A.), **219**, 895
A search for magnetic fields in the T Tauri stars GW Ori, CoD-347151, and RU Lup (Johnstone, R.M., Penston, M.V.), **219**, 927
An infrared image of the Hourglass region of M 8 (Allen, D.A.), **219**, 35P

Stars – photometry of

- The nature of Be stars: periodic variables in the cluster NGC 3766 (Balona, L.A., Engelbrecht, C.A.), **219**, 131

- Multiple optical orbital sidebands in intermediate polars (Warner, B.), **219**, 347
On the nature of objects detected as faint long-term variables (Hawkins, M.R.S.), **219**, 417
A β Cephei variable in an eclipsing binary in the cluster NGC 3293 (Engelbrecht, C.A., Balona, L.A.), **219**, 449
A distance modulus of the LMC from *uvby* β photometry of B supergiants (Shobbrook, R.R.), **219**, 495
The pulsation mode and period-luminosity relationship of cool variables in globular clusters (Whitelock, P.A.), **219**, 525
High-speed photometry of the dwarf nova Z Cha in quiescence (Wood, J., Horne, K., Berriman, G., Wade, R., O'Donoghue, D., Warner, B.), **219**, 629
Light curves of RR Pic (Nova Pictoris 1925) 1972–84 (Warner, B.), **219**, 751
Photometry and spectroscopy of V Sagittae through eclipse (Williams, G.A., King, A.R., Uomoto, A.K., Hiltner, W.A.), **219**, 809
Cepheids in the open cluster NGC 6067 (Moffett, T.J., Barnes III, T.G.), **219**, 45P

Stars – spectroscopy of

- Mode identification from line profile variations (Balona, L.A.), **219**, 111
The RCB star RY Sagittarii as a pulsating star (Lloyd Evans, T.), **219**, 191
Theoretical Stokes profiles for magnetic stars – II. An appraisal of statistical methods for magnetic field determination (Stift, M.J.), **219**, 203
The chemical composition of algol systems – III. Beta Lyrae-nucleosynthesis revealed (Balachandran, S., Lambert, D.L., Tomkin, J.), **219**, 479
A dynamical model for the dwarf nova AH Herculis (Horne, K., Wade, R.A., Szkody, P.), **219**, 791
Photometry and spectroscopy of V Sagittae through eclipse (Williams, G.A., King, A.R., Uomoto, A.K., Hiltner, W.A.), **219**, 809
CH Cygni – one year after the drop in brightness (Mikolajewski, M., Tomov, T.), **219**, 13P

Stars – structure and evolution of

- The chemical composition of algol systems – III. Beta Lyrae-nucleosynthesis revealed (Balachandran, S., Lambert, D.L., Tomkin, J.), **219**, 479

Stars – variable

- The nature of Be stars: periodic variables in the cluster NGC 3766 (Balona, L.A., Engelbrecht, C.A.), **219**, 131
The RCB star RY Sagittarii as a pulsating star (Lloyd Evans, T.), **219**, 191
Study of quiescent state X-ray emission from flare stars (Agrawal, P.C., Rao, A.R., Sreekantan, B.V.), **219**, 225
Multiple optical orbital sidebands in intermediate polars (Warner, B.), **219**, 347
On the nature of objects detected as faint long-term variables (Hawkins, M.R.S.), **219**, 417

Subject index

- A β Cephei variable in an eclipsing binary in the cluster NGC 3293 (Engelbrecht, C.A., Balona, L.A.), **219**, 449
- The pulsation mode and period-luminosity relationship of cool variables in globular clusters (Whitelock, P.A.), **219**, 525
- The evolution of polar caps in magnetic cataclysmic variables (Frank, J., Chamugam, G.), **219**, 597
- High-speed photometry of the dwarf nova Z Cha in quiescence (Wood, J., Horne, K., Berriman, G., Wade, R., O'Donoghue, D., Warner, B.), **219**, 629
- Light curves of RR Pic (Nova Pictoris 1925) 1972 – 84 (Warner, B.), **219**, 753
- CH Cygni – one year after the drop in brightness (Mikolajewski, M., Tomov, T.), **219**, 13P
- Cepheids in the open cluster NGC 6067 (Moffett, T.J., Barnes III, T.G.), **219**, 45P

Stars – velocities of

- Photoelectric radial velocities, Paper XIII. 406 ninth-magnitude K0 stars in the Clube Selected Areas (Griffin, R.F.), **219**, 95
- Radial velocities of blue horizontal branch field stars in the outer Galactic halo (Sommer-Larsen, J., Christensen, P.R.), **219**, 537

Sun

- Oscillatory motions in intense flux tubes (Hasan, S.S.), **219**, 357

Supernovae and supernova remnants

- Low-latitude radio continuum structure in the fourth galactic quadrant (Jonas, J.L.), **219**, 1
- Secular changes within Cassiopeia A at 5 GHz – I (Tuffs, R.J.), **219**, 13
- Neutral hydrogen towards 3C 10, the remnant of Tycho's supernova (Albinson, J.S., Tuffs, R.J., Swinbank, E., Gull, S.F.), **219**, 427

- G291.0–0.1, a centrally bright supernova remnant, in Carina (Roger, R.S., Milne, D.K., Caswell, J.L., Little, The late A.G.), **219**, 815

The velocity structure of the core of the giant H II region NGC 3603 (Clayton, C.A.), **219**, 895

- G70.68+1.20: a thermal source, not a supernova remnant (Green, D.A.), **219**, 39P

Ultraviolet astronomy

- An ultraviolet and optical study of the broad-line radio galaxy 3C 382 (Tadhunter, C.N., Pérez, E., Fosbury, R.A.E.), **219**, 555
- The variation of interstellar extinction in the ultraviolet (Carnochan, D.J.), **219**, 903
- PKS 2005–489: a very bright BL Lac object in a nearby galaxy (Wall, J.V., Danziger, I.J., Pettini, M., Warwick, R.S., Wamsteker, W.), **219**, 23P

X-ray astronomy

- The X-ray spectrum and variability of Markarian 421 (Warwick, R.S., George, I.M., McHardy, I., Pounds, K.A.), **219**, 39
- Study of quiescent state X-ray emission from flare stars (Agrawal, P.C., Rao, A.R., Sreekantan, B.V.), **219**, 225
- The spectral shape and variability of the blazar 3C 446 (Brown, L.M.J., Robson, E.I., Gear, W.K., Crosthwaite, R.P., McHardy, I.M., Hanson, C.G., Geldzahler, B.J., Webb, J.R.), **219**, 671
- Detection of an X-ray flare in the RS CVn binary Sigma Coronae Borealis (Agrawal, P.C., Rao, A.R., Riegler, G.R.), **219**, 777
- The discovery of X-ray bursts from Cir X-1 (Tennant, A.F., Fabian, A.C., Shafer, R.A.), **219**, 871
- PKS 2005–489: a very bright BL Lac object in a nearby galaxy (Wall, J.V., Danziger, I.J., Pettini, M., Warwick, R.S., Wamsteker, W.), **219**, 23P